



PB-IW 40

| PUNCHING | | INCH |
|---|-------------------------|-----------------------|
| Diameter x max. thickness | | Ø 0,787 x 0,59 |
| Diameter x thickness | | Ø 1,18 x 0,393 |
| Diameter x min. Thickness Optional) (*) | | Ø 1,49 x 0,31 |
| Stroke | | 1,968 |
| Stroke count in (20mm) | | 20/min |
| Throat depth | | 6,88 |
| Working height | | 38,18 |
| SHEET METAL SHEAR | | |
| Sheet metal | | 7,87 X 0,511 |
| Sheet metal | | 11,811 x 0,23 |
| Blade lenght | | 14,01 |
| Shearing with angle | | 3,14 x 0,39 |
| Working height | | 38,58 |
| ANGLE SHEAR | | |
| Angle section (90°) | | 3,14 X 3,14 X 0,31 |
| Angle section (45°) | | 1,968 x 0,236 |
| Working height | | 43,70 |
| STEEL BAR SHEARING | | |
| Round / Square | | Ø1,18- Ø 0,98 |
| NOTCHING | | |
| Thickness | | - |
| Width | | - |
| Depth | | - |
| V Depth | | - |
| Angle flange | | - |
| Working height | | - |
| OPTIONAL TOOLS | | |
| U-I Section blades | | 2,99 X 1,49 |
| T Section blades | | 1,49 X 0,23 |
| Special V-notching tooling | | |
| V bending | Bar bend. max. Capacity | 3,93 X 0,47 |
| Press brake | Sheet bend. | - |
| Punching on | Bar bend. max. Capacity | - |
| notcher | Sheet bend. | - |
| TECHNICAL DATA | | |
| Motor power | | 4,02 HP |
| Weight | | 1 278 lbs |
| Machine dimensions | | 43,30 X 31,49 X 59,84 |
| Power (Pressure) | | 40 tons |